

Certificate of Analysis

ANALYZED BY:

Anresco Laboratories San Francisco, CA 94124 C8-0000052-LIC

CUSTOMER:

TestMyKratom.org 18117 Biscayne Blvd Suite #4220 Miami, FL 33160

TestMyKratom.org

TestMyK09/16/2024



1242029 Date Collected: 09/05/2024 Sample No.: Product Name: 7Tabz Berry 7-OH tablet Date Received: 09/09/2024 2024-09 **Date Reported:** 09/16/2024

TEST SUMMARY

Tested Residual Solvent Screen: Pass

Alkaloids:

TestMyKraton

Alkaloids+MyKratom

MF 12D030 Method: Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)

Limit of Quantitation Alkaloid Profile Extended (LC-DAD) 0.1 **Limit of Detection Limit of Quantitation** 0.1

Canresco

<rat<sup>c</rat<sup>	Analyte	mg/g	%	mg/serving
	7-OH Mitragynine	13.25	1.325	9.45
	Mitragynine	ND	ND	ND
	Paynantheine	ND cotom.018	ND	ND M.OIS
	Speciogynine	0.32	0.032	0.22
	Speciociliatine	ND	ND TESTIVITY	ND
	Total Alkaloids	13.57	1.357	9.67
	Serving Weight (g)	0.713		

Comments mg/serving = mg/tablet

TestMyKratom.org

TestMyKratom.org

TestMyKratom.org

Kratom.org

TestMyKratom.org

TestMyKratom.org

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave, San Francisco, CA 94124 Sample #: 1242029

Lot #: 2024-09

Page **1** of **2** Report ID: S-2

restom.org

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately notify us and return it to the address listed above.

watom.org



Residual Solvent Screen Pass

Certificate of Analysis

09/16/2024

Method: USP <467>

	100	ors	· -m ors		100
	Analyte Kratom.	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
	1,2-Dichloroethane	0.2/0.5	ND	5 TactM	Pass
	Acetone	67/200	<loq< td=""><td>5000</td><td>Pass</td></loq<>	5000	Pass
	Acetonitrile	67/200	ND	410	Pass
	Benzene	0.2/0.5	ND	2	Pass
	n-Butane	67/200	ND	-	-
	Chloroform	0.2/0.5	ND	60	Pass
	Ethanol	67/200	ND	5000	Pass
	Ethyl acetate	67/200	330.00	5000	Pass
	Ethyl ether	67/200	ND	5000	Pass
	Ethylene oxide	0.2/0.5	ND	10	Pass
(rato	n-Heptane	67/200	ND	5000	Pass
	n-Hexane	67/200 67/200	ND	290	Pass
	Isopropyl alcohol	67/200	ND	5000	Pass
	Methanol	67/200	752.00	3000	Pass
	Methylene chloride	0.2/0.5	ND	600	Pass
	n-Pentane	67/200	ND	5000	Pass
	Propane	67/200	ND	-	-
	Toluene	67/200	ND	890	Pass
	Total xylenes (ortho-, meta-, para-)	67/200	ND	2170	Pass
	Trichloroethylene	0.2/0.5	ND	80	Pass

Reported by MyKratom.org

Vu Lam Lab Co Director

Kratom.org

TestMyKratom.org

ND = None Detected LOD = Limit of Detection LOQ = Limit of Quantitation



Scan to verify

TestMyKratom.org

TestMyKratom.org

TestMyKratom.org

TestMyKratom.org

TestMyKratom.org

Kratom.org

TestMyKratom.org

TestMyKratom.org

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave, San Francisco, CA 94124

Sample #: 1242029 Lot #: 2024-09

Page 2 of 2

watom.org

Report ID: S-2

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately notify us and return it to the address listed above.