

## **Certificate of Analysis**

## **ANALYZED BY:**

Anresco Laboratories San Francisco, CA 94124 C8-0000052-LIC

13MG

Kratom

Head

## **CUSTOMER:**

TestMyKratom.org 18117 Biscayne Blvd Suite #4220 Miami, FL 33160

TestMyKratom.org



Date Collected: 11/18/2024 Sample No.: Product Name: Kratom Heads Classic 7-OH Date Received: 12/11/2024 **Date Reported: 12/13/2024** 2024-11 Lot #:

**TEST SUMMARY** 

Residual Solvent Screen: Pass Tested Alkaloids: 0\ 5

Pass Overall:

TestMyK12/13/2024



Serving Weight (g)

Kratom.org

MF 12D030 Method: Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)

0.5672

**Canresco** 

Limit of Quantitation Alkaloid Profile Extended (LC-DAD) 0.1 **Limit of Detection Limit of Quantitation** 0.1

	Analyte	mg/g	%	mg/serving
(rato	7-OH Mitragynine	31.13	3.113	17.66
	Mitragynine Pseudoindoxyl	1.33	0.133	0.75
	Mitragynine	0.84	0.084	0.48
	Paynantheine	<loq (0.06)<="" td=""><td><loq (0.006)<="" td=""><td><loq (0.03)<="" td=""></loq></td></loq></td></loq>	<loq (0.006)<="" td=""><td><loq (0.03)<="" td=""></loq></td></loq>	<loq (0.03)<="" td=""></loq>
	Speciogynine	ND	ND TESTIVITY	ND
	Speciociliatine	ND	ND	ND
	Total Alkaloids	33.36	3.336	18.92

mg/serving = mg/tablet Comments

TestMyKratom.org

TestMyKratom.org

TestMyKratom.org

Kratom.org

TestMyKratom.org

TestMyKratom.org

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave, San Francisco, CA 94124 Sample #: 1258617 Lot #: 2024-11

Page **1** of **2** 

Report ID: S-2

restom.org

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately notify us and return it to the address listed above.

Westom.org



## **Certificate of Analysis**

12/13/2024 Residual Solvent Screen Pass

Method: USP <467>

	Analyte Kratom. <sup>0</sup>	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
	1,2-Dichloroethane	0.2/0.5	ND	5 - + 1	Pass
	Acetone	67/200	ND	5000	Pass
	Acetonitrile	67/200	ND	410	Pass
	Benzene	0.2/0.5	ND	2	Pass
	n-Butane	67/200	ND	-	-
	Chloroform	0.2/0.5	ND	60	Pass
	Ethanol	67/200	ND	5000	Pass
	Ethyl acetate	67/200	980.00	5000	Pass
	Ethyl ether	67/200	ND	5000	Pass
	Ethylene oxide	0.2/0.5	ND	10	Pass
	n-Heptane	67/200	ND	5000	Pass
Kra <sup>to</sup>	n-Hexane	67/200 67/200	ND	290	Pass
	Isopropyl alcohol	67/200	ND	5000	Pass
	Methanol	67/200	1200.00	3000	Pass
	Methylene chloride	0.2/0.5	ND	600	Pass
	n-Pentane	67/200	ND	5000	Pass
	Propane	67/200	ND	-	-
	Toluene	67/200	ND	890	Pass
	Total xylenes (ortho-, meta-, para-)	67/200	ND	2170	Pass
	Trichloroethylene	0.2/0.5	ND	80	Pass

Reported by MyKratom.org

Vu Lam Lab Co Director

December 13, 2024

Kratom.org

TestMyKratom.org

ND = None Detected LOD = Limit of Detection LOQ = Limit of Quantitation



Scan to verify

TestMyKratom.org

TestMyKratom.org

TestMyKratom.org

TestMyKratom.org

TestMyKratom.org

Kratom.org

TestMyKratom.org

TestMyKratom.org

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave, San Francisco, CA 94124

Sample #: 1258617

Lot #: 2024-11

Page 2 of 2

Report ID: S-2

watom.org

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately notify us and return it to the address listed above.