

Certificate of Analysis



Customer Information

Client: TestMyKratom.org
Attention: test.my.kratom@gmail.com
Address: 18117 Biscayne Blvd, Suite #4220
 Miami, FL 33160

Testing Facility

Lab: Cora Science, LLC
Address: 8000 Anderson Square, STE 113
 Austin, Texas 78757
Contact: info@corascience.com
 (512) 856-5007

Sample Image(s)



Sample Information

Name: Hydroxie 15mg Shot
Lot Number: 2024-07
Description: Liquid botanical extract
Condition: Good
Job ID: ISO02257
Sample ID: I05313
Received: 12JUL2024
Completed: 17JUL2024
Issued: 19JUL2024

Test Results

Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 17JUL2024 | 1433

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	0.507	mg/mL	0.10	N/A
7-Hydroxymitragynine	Report Results	0.090	mg/mL	0.03	N/A
Paynantheine	Report Results	<LOQ	mg/mL	0.10	N/A
Speciogynine	Report Results	<LOQ	mg/mL	0.10	N/A
Speciociliatine	Report Results	<LOQ	mg/mL	0.10	N/A
Total Mitragyna Alkaloids	Report Results	0.597	mg/mL	0.10	N/A

Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 17JUL2024 | 1433

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	0.049	w/w%	0.009	N/A
7-Hydroxymitragynine	Report Results	0.009	w/w%	0.003	N/A
Paynantheine	Report Results	<LOQ	w/w%	0.009	N/A
Speciogynine	Report Results	<LOQ	w/w%	0.009	N/A
Speciociliatine	Report Results	<LOQ	w/w%	0.009	N/A
Total Mitragyna Alkaloids	Report Results	0.057	w/w%	0.009	N/A

Residual Solvents: Class I (GC-MS)

Method Code: T201

Tested: 17JUL2024 | 0650

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
1,1-Dichloroethene	NMT 8	<LOQ	ug/g	0.4	PASS
1,1,1-Trichloroethane	NMT 1500	<LOQ	ug/g	75	PASS
Tetrachloromethane	NMT 4	<LOQ	ug/g	0.2	PASS
Benzene	NMT 2	<LOQ	ug/g	0.1	PASS
1,2-Dichloroethane	NMT 5	<LOQ	ug/g	0.25	PASS

Residual Solvents: Class II (GC-MS)**Method Code: T201****Tested: 17JUL2024 | 0650**

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Methanol	NMT 3000	<LOQ	ug/g	94	PASS
Acetonitrile	NMT 410	<LOQ	ug/g	20.5	PASS
Dichloromethane	NMT 600	<LOQ	ug/g	30	PASS
1,2-Dichloroethene, (E)	NMT 1870	<LOQ	ug/g	93.5	PASS
1,2-Dichloroethene, (Z)	NMT 1870	<LOQ	ug/g	93.5	PASS
Tetrahydrofuran	NMT 720	<LOQ	ug/g	36	PASS
Cyclohexane	NMT 3880	<LOQ	ug/g	194	PASS
Methylcyclohexane	NMT 1180	<LOQ	ug/g	59	PASS
1,4-Dioxane	NMT 380	<LOQ	ug/g	19	PASS
Toluene	NMT 890	<LOQ	ug/g	44.5	PASS
Chlorobenzene	NMT 360	<LOQ	ug/g	18	PASS
Ethylbenzene	NMT 2170	<LOQ	ug/g	108.5	PASS
o/p-Xylene	NMT 2170	<LOQ	ug/g	108.5	PASS
m-Xylene	NMT 2170	<LOQ	ug/g	108.5	PASS
Isopropylbenzene	NMT 70	<LOQ	ug/g	3.5	PASS
Hexane	NMT 290	<LOQ	ug/g	14.5	PASS
Nitromethane	NMT 50	<LOQ	ug/g	2.5	PASS
Chloroform	NMT 60	<LOQ	ug/g	3	PASS
1,2-Dimethoxyethane	NMT 100	<LOQ	ug/g	5	PASS
Trichloroethene	NMT 80	<LOQ	ug/g	4	PASS
Pyridine	NMT 200	<LOQ	ug/g	10	PASS
2-Hexanone	NMT 50	<LOQ	ug/g	2.5	PASS
Tetralin	NMT 100	<LOQ	ug/g	5	PASS

Residual Solvents: Class III (GC-MS)**Method Code: T201****Tested: 17JUL2024 | 0650**

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Pentane	NMT 5000	<LOQ	ug/g	250	PASS
Ethanol	NMT 5000	<LOQ	ug/g	250	PASS
Diethyl Ether	NMT 5000	<LOQ	ug/g	250	PASS
Acetone	NMT 5000	<LOQ	ug/g	250	PASS
Ethyl Formate	NMT 5000	<LOQ	ug/g	250	PASS
Isopropanol	NMT 5000	<LOQ	ug/g	250	PASS
Methyl Acetate	NMT 5000	<LOQ	ug/g	250	PASS
Methyl tert-Butyl Ether	NMT 5000	<LOQ	ug/g	250	PASS
1-Propanol	NMT 5000	<LOQ	ug/g	250	PASS
2-Butanone	NMT 5000	<LOQ	ug/g	250	PASS
Ethyl Acetate	NMT 5000	<LOQ	ug/g	250	PASS
2-Butanol	NMT 5000	<LOQ	ug/g	250	PASS
2-Methyl-1-Propanol	NMT 5000	<LOQ	ug/g	250	PASS
Isopropyl Acetate	NMT 5000	<LOQ	ug/g	250	PASS
Heptane	NMT 5000	<LOQ	ug/g	250	PASS
1-Butanol	NMT 5000	<LOQ	ug/g	250	PASS
Propyl Acetate	NMT 5000	<LOQ	ug/g	250	PASS
4-Methyl-2-Pentanone	NMT 5000	<LOQ	ug/g	250	PASS
Isoamyl Alcohol	NMT 5000	<LOQ	ug/g	250	PASS
Isobutyl Acetate	NMT 5000	<LOQ	ug/g	250	PASS
1-Pentanol	NMT 5000	<LOQ	ug/g	250	PASS
Butyl Acetate	NMT 5000	<LOQ	ug/g	250	PASS
Dimethylsulfoxide	NMT 5000	<LOQ	ug/g	250	PASS
Anisole	NMT 5000	<LOQ	ug/g	250	PASS

Additional Report Notes

T102 result, LOQ and unit converted from w/w% to mg/mL using a laboratory measured density of 1.043 g/mL.

Revision History

rev 00 - Initial release.

Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature:



Position:

Laboratory Director

Department:

Management

Name:

Tyler West

Date:

19JUL2024